



OSREN®

PROFESSIONAL AUTO DETAILING PRODUCT

CATALOGUE



CONTENTS : 220G

CRYSTAL BLOCK **SYNERGIZED**

INNOVATION OF WAX SYNERGY

CONTENTS

PROFESSIONAL SERIES

Orange Peel Leveling System	5
Surface Correction	6-7
All-In-One (Polish/Wax)	8
Surface Protection	9-10

SOLUTIONS

Cleaners	13-15
Dressings	16-17
Other Solutions	18

COATZ	21-22
-------------	-------

PADS & BACKING PLATES

Leveling Pads	25
Wool and Microfibre Pads	26
DA Pads	27-28
Rotary Foam Pads	29
Other Pads	30
Backing Plates	31-32

TOOLS & ACCESSORIES

Power Tools	35-36
Detailing Lights	37
Clay	38
Towels	39-40
Miscellaneous	41-44

INDUSTRIAL HAND GEL	45
---------------------------	----



To receive updates on happenings, follow our Facebook page @ www.facebook.com/osrenmalaysia



To watch our videos on detailing tips, techniques and how-tos, subscribe to our YouTube channel @ www.youtube.com/osrencarcare



www.osren.com



Highly effective on modern clear coats
such as scratch resistant clear coats
others, as effective on modern clear coats

Polishing compound
eliminate oxidation, scratches and other stains
designed to
oxidation, deep swirls,
scratches and other defects

Oxides for minimal dusting.
Engineered with Nanomized Aluminum
designed to
deep swirls, water stains
and other defects

Cut (646) 9.5/10
Cut (646) 9.5/10

Read back label
Eye & Skin Irritant


CAUTION

PROFESSIONAL SERIES

OSREN Professional Series consists of surface preparation & protection products which are engineered for professional detailers, factory body & paint technicians and detailing enthusiast. Whether you're looking for paint cleaners, aggressive compounds, nano fine polishes, waxes or sealants, we have it all here.



ORANGE PEEL LEVELING SYSTEM



NAO LEVELER 56 WATERBASED LEVELER

OSREN's NAO Leveler 56 is a unique abrasive that effectively removes orange peel and other heavy defects on paintwork. Formulated with clear-coat softeners and nanomized aluminium oxides abrasive, Nao Leveler 56 is capable of producing high-gloss without imparting heavy defects on paintwork.

Cut Level	12/10
Gloss Level	7/10
Part No. & Size	C-NL-156 (1Kg) C-NC-0456 (400g)



PERFECT FIFTY FAST CUT COMPOUND

OSREN Perfect Fifty is an aggressive rubbing compound designed to level orange peel without sanding for the absolute show car shine. Also engineered to remove tough paint defects such as dust nibs, overspray and P1200 or finer sanding marks.

Cut Level	12/10
Gloss Level	4/10
Part No. & Size	C-FDC-150 (1Kg) C-FDC-450 (4Kg) C-FDC-0450 (400g)

N.A.O. ABRASIVES

(NANOMIZED ALUMINIUM OXIDES)

N.A.O. Abrasives uses raw aluminium oxide that is chemically and mechanically refined to be molecularly smaller and sharper than its original size. N.A.O. Abrasives abrade more than standard Aluminium Oxides yet leaving behind an absolute fine finishing.



NAO QUICK CUT 48 WATERBASED COMPOUND

OSREN's NAO Quick Cut 48 is waterbased rapid-cutting compound that is designed to remove defects rapidly without imparting heavy compounding marks on paintwork. NAO Quick Cut 48 can be paired with wool, microfibre or any cutting pad to remove deep swirls, scratches etchings, oxidation and other tough defects.

Cut Level	11/10
Gloss Level	7.5/10
Part No. & Size	C-NQC-148 (1L) C-NQC-0348 (300ml)



NAO COMPOUND 46 WATERBASED COMPOUND

Engineered with N.A.O Abrasives for rapid cutting and absolute finishing! OSREN NAO Compound is a waterbased high cutting compound that easily removes deep swirls, scratches etchings, oxidation and other tough defects.

Cut Level	9.5/10
Gloss Level	8/10
Part No. & Size	C-NC-446 (4L) C-NC-146 (1L) C-FDC-0346 (300ml)

DA YELLOW POLISHING FOAM
See page 28 for product information

NAO POLISH 36

WATERBASED POLISH

NAO Engineered polish designed to refine light swirls and holograms. A nano fine polish that eliminates what's left behind by the compounding step.



NAO GLAZE 26

WATERBASED GLAZE

NAO Engineered glaze designed to remove hairline imperfections and blemishes for the absolute glossy finish just before waxing or coating.



PERFECT CUT 20

LIGHT CUT GLAZE

Engineered to remove swirls, marring and holograms on soft and sticky paint. A versatile abrasive that's capable of compounding and polishing away defects.



Cut Level	9/10
Gloss Level	9/10
Part No. & Size	C-NP-436 (4L) C-NP-136 (1L) C-NP-0336 (300ml)

Cut Level	2/10
Gloss Level	10/10
Part No. & Size	C-NGN-126N (1L) C-NGN-0326N (300ml)

Cut Level	3/10
Gloss Level	9/10
Part No. & Size	C-PC(2.0)-162 (1L) C-PC-0362 (300ml)

ALL-IN-ONE (POLISH/WAX)



PAINT RESTORER 51 ALL-IN-ONE POLISH

OSREN Paint Restorer 51 is a versatile all-in-one polish that's pad dependent. You can pair it with wool pad for relatively aggressive cutting or you can also pair it with a soft foam for mild paint cleaning.

A product that contains micro fine abrasives that removes light swirls and marring. It also contains cleaning solvents that cleans stubborn stains and blemishes, plus it leaves behind a layer of wax that adds to slickness, hydrophobicity and gloss. Get all these in a single step.

Cleaning Power	9/10
Gloss Level	8/10
Part No. & Size	C-PR-451 (4L) C-PR-151 (1L) C-PR-0351 (300ml)

RADIANT POLISH 52 ALL-IN-ONE POLISH



Cleaning

: 8/10

Gloss

: 9.5/10

Part No. & Size : C-RP-152-2 (1L)

SOLID CLEAN 07 ALL-IN-ONE POLISH



Cleaning

: 7/10

Gloss

: 6/10

Part No. & Size : C-SC-480 (4L) /
C-SC-1880 (18L)

CLEANER WAX 06 LIQUID SYNTHETIC WAX



Cleaning

: 4/10

Gloss

: 8/10

Part No. & Size : C-CW-487 (4L) /
C-CW-1887 (18L)

SURFACE PROTECTION

BLACK FINISHING FOAM DISC

See page 27 for product information



RADIANT COAT 12 POLYMER BASED COATING

What's the best way to lock in that swirl free finish that you've spent hours to detail? OSREN Radiant Coat is a Polymer based coating that coats the finish of your car. It not only seals it up but also creates a rich, glossy and hydrophobic layer that keeps the paint looking like new wash after wash.

Cleaning Level	1/10
Gloss Level	12/10
Part No. & Size	C-RC-112-2 (1L) C-RC-0312 (300ml)



CRYSTAL BLOCK SYNERGIZED

INNOVATION OF WAX SYNERGY

Years of research and prototyping to fuse natural waxes with synthetic resins together has lead us to develop SYNERGIZED, a whole new level of car wax, designed entirely to enhance and protect your car's paintwork. In SYNERGIZED, you'll get a sleek, high-gloss finish from the natural wax while the synthetic resins will give you more protection by prolonging its bond onto the paintwork.

Part No. & Size

C-SW-800 (220g)



CRYSTAL BLOCK EMERALD CLASSIC AUTO HARD WAX



Part No. & Size:
C-CE-500 (220g)

SYNTHETIC SEALANT AUTO HARD SEALANT



Part No. & Size:
C-CS-600 (220g)



OSREN

OSREN®

SOLUTIONS®

PROFESSIONAL AUTOMOTIVE DETAILING PRODUCTS

DEGREASER FX

Heavy duty performance

Mild fragrance

Fast rinsing formula

Contents : 4 litres e

Caution : eye & skin irritant (read back panel carefully)

77

SOLUTIONS

Grab the right liquid for the right job. OSREN Solutions is all about offering the right chemical that easily and safely clean various stains and dress various automotive surfaces.

CLEANERS

CLEANERS

13



BUBBLE & WAX

The Key to maintaining that just waxed car is using a good dedicated automotive shampoo. Unlike many household detergents which clean but strip wax and dulls the finish of your car. OSREN's Bubble & Wax car shampoo is a unique blend of cleaning agents and gloss enhancers which gently washes away dirt, grime and traffic film while leaving behind a "wet-look" after-wash shine.

Dilution	up to 1:100
Part No. & Size	C-BW-400 (4L) C-BW-2006 (20L)



NANO WASH

Basic yet ultra concentrated pH neutral car shampoo that does what it does - clean, without harming the paint, coating or waxed finish. OSREN's Nano Wash shampoo is designed to quickly and reliably encapsulate dirt and grime off your vehicle so you can clean without dulling the paint while keeping its original gloss.

Dilution	up to 1:400
Part No. & Size	C-NW-490 (4L) C-NW-2090 (20L)



BRAKE DUST CLEANER

OSREN Brake Dust Cleaner, engineered with unique iron particle remover, is a pH balanced cleaner suitable for all types of wheels. It reacts and dissolve brake dust, turning them purplish pink and dislodges effortlessly with a rinse of water. OSREN Brake Dust Cleaner is the easier, faster and safer way to clean your wheels!

Part No. & Size

C-BDC-179 (1L)
C-BDC-479 (4L)
C-BDC-2079 (20L)



DEGREASER FX

Unlike harsh soda based degreasers which bleaches the surface, OSREN's Degreaser FX is engineered to clean the toughest grease effectively and is easily rinsed off reducing streaking and discoloration. It also comes in a mild citrus fragrance to provide better working environment for technicians and car owners.

Dilution

up to 1:10

Part No. & Size

C-DFX-477 (4L)
C-DFX-2077 (20L)



TAR SPOTS REMOVER

Tar spots are very adhesive and may etch or stain paint finishes if left untreated. OSREN Tar Spots Remover dissolves road tar on paintwork, plastics and metals easily. Just spray, dissolve and wipe clean. OSREN Tar Spots Remover can also be used to remove glue or adhesive residue, grease and also oil stains.

Part No. & Size

C-TSR-133 (1L)
C-TSR-433 (4L)

CLEANERS

CLEANERS

GLASS CLEANER

CLEANS OIL STAINS
ON GLASS



Part No. & Size:
C-GC-410 (4L)

LEATHER CLEANER

SAFELY AND EFFECTIVELY
CLEANS LEATHERS



Part No. & Size:
C-LC-420 (4L)
C-LC-2020 (20L)

FABRIC CLEANER

SAFELY AND EFFECTIVELY
CLEANS PVC, VINYL &
FABRIC UPHOLSTERY



Part No. & Size:
C-FC 473 (4L)
C-FC-2073 (20L)

RINSELESS PRO

MULTI-PURPOSE
DETAILING SOLUTION



Part No. & Size:
C-RP-191 (1L)
C-RP-491 (4L)

MULTI CLEANER

ALKALINE BASED
MULTIPURPOSE CLEANER



Part No. & Size:
C-MC-477 (4L)
C-MC-2077 (20L)

QUICK INSPECTOR

REMOVES POLISHING OIL



Part No. & Size:
C-IPA996(1) (1L)
C-QI-496 (4L)

CAR AUTO SHAMPOO

EFFECTIVELY CLEANS
CAR'S EXTERIOR



Part No. & Size:
C-CAS-2002 (20L)

DEGREASER

INDUSTRIAL GRADE
HEAVY DUTY DEGREASER



Part No. & Size:
C-DE3-2076 (E3 - 22L)
C-DEN-2078 (E3N - 22L)

STAIN-X

STUBBORN GLASS
WATERSTAINS REMOVER



Part No. & Size:
C-SX-7619 (1L)



HYDRO CERAMIC SHIELD

Hydro Ceramic Shield is a sprayable ceramic-based sealant that enhances and protects your car. Contains ceramic resins that reforms into ceramic polymer; synthesizing a layer of an invisible shield on the surface. Formulated to increase gloss and dust repellency on surfaces, it outpaces traditional wax in terms of durability and applicability.

Dilution	up to 1:4
Part No. & Size	C-HCS-199 (1L)



WATER COATING

OSREN's Water Coating is a unique blend of semi-concentrated substances that reconditions paintwork by layering atop of any last-step products or as a standalone sealant. A simple spray and rinse solution to increase hydrophobicity and dirt repellency on paint.

Dilution	up to 1:4
Part No. & Size	C-WC-489 (4L)

DRESSINGS

DRESSINGS



17

REBLACK

CONDITIONS AND PROTECTS
EXTERIOR TRIMS, BUMPERS AND TIRES

OSREN Reblack is specially formulated to enhance the appearance of old and faded exterior rubber trims and non-painted plastic components.

Part No. & Size

C-RT-168 (1L)

LEATHER CREAM

RESTORES, MOISTURIZES
AND PROTECTS



Part No. & Size:
C-LC-23 (180ml)

LEATHER SOFT

RESTORES, MOISTURIZES
AND PROTECTS LEATHER



Part No. & Size:
C-LS-21 (400ml)
C-LS-121 (1L)

UV DRESSING

CONDITIONS AND PROTECTS
INTERIOR VINYL



Part No. & Size:
C-UD-449 (4L)

METAWAX

CLEANS, POLISHES
AND PROTECTS GLOSSY
PAINT FINISHES



Part No. & Size:
C-MW-488 (4L)

TIRE SHINE

A well detailed ride is not complete if the tires are stained and dull. OSREN Tire Shine (LV) revitalizes the look with premium grade polymers and protectants, producing a high-gloss shine and keeps tires looking like new. A must use to complement a clean and shiny ride.



Model:	Part No. & Size:
TIRE SHINE (LV)	C-TS-455 (4L) / C-TS-1855 (18L)
TIRE SHINE (LV3.5)	C-TS-2035 (20L)
TIRE SHINE (HV)	C-TS-457 (4L) / C-TS-1857 (18L)
TIRE SHINE (HV3)	C-TS-459 (4L) / C-TS-2059 (20L)
TIRE SHINE (HV3.5)	C-TS-2054 (20L)
TIRE SHINE (HV4)	C-TS-2064 (20L)



*Use with OSREN SPRAY GUN 0.8
See page 44 for product information

18



BACTERIA & ODOR EXTERMINATOR

In OSREN, we don't only keep your car clean but also the air that you breathe in too! Study shows that Benzalkonium Chloride and Glycols are safe and highly effective air disinfectants when vaporized in a car's interior. OSREN Bacteria & Odor Exterminator kills bacteria and nullifies odor to give you a fresher, healthier driving experience.

Options:

Part No. & Size:

Lemon (Hydro)	C-HBOE-067L (60ml) / C-HBOE-467L (4L)
Apple (Hydro)	C-HBOE-067A (60ml) / C-HBOE-467A (4L)
Lemon**	C-BOE-0366 (60ml) / C-BOE-010366 (1L)
Apple**	C-BOE-0366A (60ml) / C-BOE-010366A (1L)
Menthol**	C-BOE-0366M (60ml) / C-BOE-010366M (1L)

**Use with FOG MACHINE (See page 36 for product information)

STAIN-X (POWDER)

MIX ABRASIVES TO SCRUB AWAY WATERSTAINS ON GLASS



Part No. & Size:
C-WR-159 (1kg)

PLASTIC HEADLAMP POLISH

POLISH FOR CAR HEAD & TAIL LAMPS



Part No. & Size:
C-PHLP-197 (300g)

AIR FRESHENER

SPRAY AND FRESHEN UP CAR INTERIOR



Part No & Size:
C-AF-411 (Floral - 4L)
C-AAF-411A (Apple - 4L)
C-LAF-411L (Lemon - 4L)



COATZ

Genesis of Modern Surface Enhancement. OSREN Coatz provides cutting edge technology products to enhance shine and protection on various automotive surfaces.





COATING APPLICATOR KIT
See page 42 for product information



01 | ABSOLUTE PAINTWORK COATING

Engineered with inorganic glass compositions, otherwise known as silicone dioxides (SiO_2), that creates a crystallized coat over the paintwork for the absolute paint enhancement. OSREN Coatz 01 Absolute Paintwork Coating enhances painted surfaces and plastics with a deep rich gloss that lasts extremely long. It also gives a turbo-like water repelling effect due to its intense hydrophobicity, allowing cars to be cleaned and maintain that gallery finish easily.

Hardness	Pencil Hardness 9H
Active Composition	70%
Water Beading Angle	>90 Degree
Part No. & Size	C-APC-01-30 (30ml)

*Eco-friendly (VOC-free)

00 | ABSOLUTE PAINTWORK UNDERCOAT (9H)

Part No. & Size:
C-APU-00 (50ml)

01A | PRE-COATING CLEANER

Part No. & Size:
C-PCC-24001A (240ml)

02A | METAL POLISH ABRASIVE

Part No. & Size:
C-MP-02A-120 (120g)

02 | ABSOLUTE METAL COATING

Part No. & Size:
C-AMC-02 (50ml)

03 | FLUORINE PAINTWORK COATING

Part No. & Size:
C-PC-03(200) (200ml)

04A | GLASS POLISH ABRASIVE

Part No. & Size:
C-SXC-04A (100ml)

04 | FLUORINE GLASS COATING

Part No. & Size:
C-GC-04 (150ml)

05A | PAINTWORK COATING WATERSTAINS CLEANER

Part No. & Size:
C-PCWC-105A (1L)


07 | ABSOLUTE LEATHER & VINYL COATING

Part No. & Size:
C-ALVC-07 (30ml)

PADS & BACKING PLATES

Various types of wool, foams, leveling pads and backing plates that caters to all professional detailers and enthusiasts.

LEVELING PADS



DENIM LEVELING FOAM

Denim leveling foam is made of denim which are hard, flat and less pores material to hold most of the abrasives on the surface and level away orange peel as well as other deeper paint defects.

VELVET LEVELING FOAM


Velvet leveling foam is made of corduroy which are similar to denim but slightly softer to cater for soft/sticky OEM paint. The polishing abrasives will be held onto the pad's surface and level away orange peel as well as other deeper defects.

Material	Denim
Attachment	Hook & Loop
Cut Level	12
Part No. & Size	CH-B03-J90 (140 x 6mm) CH-J90#83x6 (83 x 6mm) CH-J80#55X6 (55 x 6mm) CH-J80#36X6 (36 x 6mm) CH-J80#20x6 (20 x 6mm)



Material	Velvet
Attachment	Hook & Loop
Cut Level	10
Part No. & Size	CH-B03-V80 (140 x 6mm) CH-V80#83x6 (83 x 6mm) CH-V80#55X6 (55 x 6mm) CH-V80#36X6 (36 x 6mm) CH-V80#20x6 (20 x 6mm)





BLUE NANO WOOL

Made with a hybrid blend of both foam and wool through a patented nanofoam process, the Blue Nano Wool is capable of maintaining its consistency in performance, and outlast natural sheepskin pads. It is capable of removing swirls and heavy defects, while greatly reduces compound hazing and temperature on paintwork.

<i>Material</i>	Blue Synthetic Wool
<i>Attachment</i>	Hook & Loop
<i>Cut Level</i>	7
<i>Part No. & Size</i>	L-HYB-140 (140mm) L-HYB-80-1 (80mm)

WOOL PAD



Part No. & Size:
L41-125 (190mm)
L41-125A (165mm)
L41-003 (75mm)

PURPLE NANO WOOL



Part No. & Size:
L58-4265 (165mm)
L58-4255-1WH (140mm)
L58-3235 (80mm)

B/W CUTTING MICROFIBRE DISC



Part No. & Size:
L-MF-525CUT (140mm)
L-MF-325CUT (80mm)
L-MF-225CUT (57mm)
L-MF-150CUT (38mm)

LOW PROFILE HYBRID DA FOAM PADS

These pads are engineered with foams that are more rigid, firm and dense to maintain its structural integrity during buffering (no loss of cutting) with a Dual Action Polisher. Its thin design also allows for smoother handling and buffering feel.



GREY CUTTING FOAM DISC

Designed to work with compounds to remove etchings, scratches and swirls.

Color	Light Gray
Attachment	Hook & Loop
Cut Level	6.5
Part No.	L76-78550G-130 (140mm) L76-78350G-76 (90mm)

WHITE POLISHING FOAM DISC

Designed to work with polishes or AIOs to remove light swirls and blemishes.

Color	White
Attachment	Hook & Loop
Cut Level	4
Part No.	L76-68550-130 (140mm) L76-68350-76MM (90mm)

BLACK FINISHING FOAM DISC

Designed to work with glazes to remove holograms and also applying waxes or sealants.

Color	Black
Attachment	Hook & Loop
Cut Level	2
Part No.	L76-78550-130 (140mm) L76-78350-76MM (90mm)





**ORANGE DENSE
COOL PAD**



Part No.:
L78-22550 (140mm)
L78-22350 (90mm)

**WHITE MEDIUM
COOL PAD**



Part No.:
L78-62550 (140mm)
L78-62350 (90mm)

**BLACK SOFT
COOL PAD**



Part No.:
L78-72550 (140mm)
L78-72350 (90mm)

**DA MAROON
CUTTING FOAM**



Part No.:
CH-C51130DA (130/145mm)
CH-C52090DA (78/90mm)

**DA YELLOW
POLISHING FOAM**



Part No.:
CH-C61130DA (130/145mm)
CH-C62090DA (78/90mm)

**DA BLACK
FINISHING FOAM**



Part No.:
CH-C71130DA (130/145mm)
CH-C72090DA (78/90mm)

ROTARY FOAM PADS



MAROON CUTTING FOAM

Coarse reticulated foam used for compounding and paint cleaning to remove oxidations, stubborn stains and scratches.

Color	Maroon
Attachment	Hook & Loop
Cut Level	6
Part No. & Size	FCC-MSA150C (150mm) CH-C51090 (95mm) CH-FP2''(M) (60mm)



NAVY POLISHING FOAM

Medium non-reticulated dense foam used for polishing to remove machine swirls and other moderate paint defects.

Color	Navy
Attachment	Hook & Loop
Cut Level	5
Part No. & Size	FCC-MSA150P (150mm)



BLACK FINISHING FOAM

Soft reticulated foam used of finishing to remove holograms and other light imperfections.

Color	Black
Attachment	Hook & Loop
Cut Level	2
Part No. & Size	FCC-MSA150F (150mm) CH-C73090 (95mm) CH-FP2''(BLK) (60mm)

OTHER PADS

DENIM PAD

OSREN's Denim Sponge is designed as a coarse and sturdy pad for orange peel levelling. Capable of consistently suspending the abrasives between paint and pad to provide even shaving, resulting in a uniformed levelling that's unprecedented compared to conventional pads.



Part No.	Size
A-JS-6.5(X2)	160mm

WOOL PAD



Part No. & Size:
CH-C4075 (75mm)
CH-4050(B) (50mm)

VELVET PAD

OSREN's Velvet Sponge is designed as a coarse and sturdy pad for orange peel levelling. Made of corduroy which are similar to denim but slightly softer to cater for soft/sticky OEM paint. Levels paint in an uniformed manner that's unprecedented compared to conventional pads.



Part No.	Size
A-VS-6.5(X2)	160mm
A-M3875	100mm

GLASS POLISHING DISC



Part No. & Size:
A-GP135X3 (135mm)
A-GP80 (80mm)

POLISHING SPONGE (M14)



Part No. & Size:
CH-P01-15040T (150mm)

POLISHING SPONGE (VELCRO)



Part No. & Size:
CH-Q01-15050T (150mm)

SHORT WOOL PAD (HORIZONTAL)



Part No. & Size:
CH-16170(H) (150mm)

BACKING PLATES



ROTARY BACKING PLATE (M14)

A backing plate functions as a spine between the machine and polishing pads. It doesn't just fix pads onto the polisher, it greatly affects handling and cutting performance too. Designed with slight flexibility to run through curved panels without compromising its structural integrity and cutting abilities. Comes in various sizes.

Attachment	M14
Part No. & Size	FCC-PU0730 (30mm) YWN-050-DW(M14) (50mm) YWN-075-DW(M14) (75mm) YWN-0125-DW (125mm)

FOAM INTERFACE



Part No. & Size:
CH-B04 (160mm)
CH-B03 (130mm)
CH-B02 (75mm)





HURRICANE 2.0 BACKING PLATE

Tailored explicitly for OSREN Hurricane 2.0, this backing plate is designed with cooling cavities to extend pads' lifespan for a longer period of time. Made from moulded polyurethane, the Hurricane 2.0 backing plate is assured of consistency in quality and performance. 125mm in diameter.



Attachment

Screw On Attachment

Part No. & Size

A-L15T-H205BP (125mm)

HURRICANE BACKING PLATE



Part No. & Size:
YWN-0125-16K (125mm)

DA BACKING PLATE (M8)

The dual action backing plate fits most generic dual action polisher with M8 female threads. Constructed with durable polyurethane, it is designed to transfer the right and consistent amount of orbital and spinning movement for polishing jobs. Comes in various sizes and fitted with hook-and-loop fastener to secure pads.

Attachment

M8

Part No. & Size

**YWN-050-A (50mm)
YWN-075-C (75mm)
YWN-0100-A (100mm)
YWN-0125-6K-D(M8) (125mm)**





38
FOSTER® 838

38
FOSTER® 838

TOOLS & ACCESSORIES

Drying towels, buffing towels, DA polishers, worklamps and other detailing stuffs that help you achieve perfection.

POWER TOOLS

OSREN HURRICANE 2.0 DUAL ACTION POLISHER

OSREN Hurricane 2.0 is a Dual Action Polisher designed to be absolutely safe and friendly for all. Its orbital spin of 15mm is capable of producing exceptional results in removing defects, swirls, holograms and marrings. A trusted tool for both professionals and enthusiasts for paint correction.

35

Power	220V-240V / 50/60Hz 900W
Speed	3,500 - 5,800 OPM
Orbit	15mm
Part No.	NJ-DAPL15T



OSREN VORTEX ROTARY POLISHER

OSREN's Vortex Rotary Polisher offers greater cutting speed and power for paintwork correction. Made with comfortability in mind, OSREN's Vortex is designed to be lighter and with more adaptability in handling.

Powered by a robust motor, Vortex stays true to its delivery in speed even under extreme load. This is to ensure consistency in cutting can be achieved for uniformed result. The variable speed trigger caters users full control in cutting adjustments.



Power	220-240V / 50/60Hz 1100W
Speed	800-3500RPM
Thread	M14
Part No.	NJ-RO-5

CARBON BRUSH



Part No.:
A-L15T-P28 (Hurricane 2.0)
A-RO5-P24 (Vortex)
A-L8T-P28 (Tempest 2.0)

OSREN TEMPEST 2.0 DUAL ACTION POLISHER

An upgraded version mini dual action polisher designed for a safer, more effective and effortless paintwork correction endeavor. Tempest 2.0 is a small yet powerful tool with 8mm orbital throw designed to tackle narrow areas and curvy panels. Comes with 3" backing plate for precision cutting.

36

Power	220-240V / 50/60Hz 380W
Speed	3,000 - 7,200 OPM
Orbit	8mm
Part No.	NJ-DAPL8T



FOGGING GUN 1300W



Part No.:
M-FG01

FOG MACHINE

Used for fogging **OSREN Bacteria & Odor Exterminator** (See page 18 for product information) inside the cabin of your car for a cleaner, healthier driving experience.



Power Supply	240V / 50Hz
Power Consumption	1,200W
Part No.	M-NFM-GK003C

DETAILING LIGHTS

DETAILING LIGHTS

37



INFRARED LAMP



Part No.:
ZF-IL-3WM

**INFRARED
LIGHTING TUBE**



Part No.:
ZF-IL-TUBE

**LED DETAILING
LAMP - 50W**



Part No.:
YC-LED-50W

**LED DETAILING
LAMP - 30W**



Part No.:
YC-LED-30W

**LED WORK LAMP
(8 FEET)**



Part No.:
C-LSL8-30W

SWIRL FINDER



Part No.:
A-SF-2X3A



MAGIC CLAY CLOTH

The safest and simplest way to create a smooth-as-glass finish is non other than claying. Cars are frequently exposed to pollutants such as industrial fall outs, dust particles, tar spots and many more. Most of these pollutants are not visible to the eyes but when you run your palm across the paintwork, you will find all these pollutants protruding the surface and has already embedded onto the finish.

A Detailing Clay acts as a substance that “pulls out” these embedded contaminants without harming the clear coat. It is a proven tool to remove embedded contaminants without scouring or polishing the surface.

OSREN Magic Clay Cloth is actually Detailing Clay material affixed onto a microfibre towel giving users a much larger working surface as well as flexibility to contour over convex or concave surfaces easily. The microfibre towel also acts to hold water to lubricate the claying process.

Towel Size **40x40cm**

Part No. **T-MC-01**



CLAYBAR



Part No.:
A-CB-9006

JOYBOND JAPAN CLAYBAR



Part No.:
A-CB-9008

MICROFIBRE TOWEL 40x40

Edgeless buffing towel designed to pick up polish, dust, wax or coating residues on paint. Made with open micro-fibres for maximum efficiency.



Packing Size	1pkt x 3pcs
Available Colors	Blue, Green & Red
Part No. & Size	CH-MF-M06 (40x40cm)

MICROFIBRE DRYING TOWEL 30x60

What's more absorbent than microfibre towels? A stretchable microfibre towel!! OSREN Microfibre Drying Towel 30x60 are stretchable hence able to hold more water making it super water absorbent totally ideal for drying and washing the car!



Packing Size	1pkt x 3pcs
Available Colors	Brown, Gray & Purple
Part No. & Size	CH-MF-T05 (30x60cm)

MICROFIBRE WINDOW TOWEL 40x40

There's nothing more important than having clean, crystal clear and smudge free windscreens and windows. Conventional cloths are bad at picking up finger print marks, stains and smoke films, they also leave behind lints that will devastate the finish of your windows. OSREN Microfibre Window Towel 40x40 are made of special lint free microfibres that wipes off finger prints, oily stains/films effortlessly and leaves nothing but a clear crystal finish that will never cease to amaze you.



Packing Size	1pkt x 3pcs
Part No. & Size	CH-MF-B01 (40x40cm)

MEGA MICROFIBRE DRYING TOWEL

OSREN Mega Microfibre Drying Towels are unexceptional at drying wet panels. Made of stretchable microfibre blend, the drying towels are capable of absorbing more water than conventional microfibres. The unique blend is also remarkably durable, and it can be used repeatedly without losing its fiber integrity. Comes in various sizes for different panels and for ease of usage.



Part No. & Size:	Colour:
CH-MF-B13 (60x90cm)	Blue
CH-MF-B11 (60x180cm)	Brown Purple Grey
CH-MF-B14 (90x180cm)	Blue

WHITE SYNTHETIC CHAMOIS



Part No. & Size:
CH-SC-W05 (50x50cm)

MICROFIBRE WAFFLE TOWEL



Part No. & Size:
CH-MF-C10 (40x60cm)

YELLOW BUFFING TOWEL



Part No. & Size:
CH-MF-Y04 (40x60cm)

ULTRA TOWEL



Part No. & Size:
LDS-TU-808 (70x90cm)

MICROFIBRE PREMIUM DARK GREEN CLOTH



Part No. & Size:
CH-MF-W07 (40x40cm)

COATING APPLICATOR REFILL



Part No. & Size:
A-CMFC (12x9cm)

MICROFIBRE COATING CLOTH



Part No. & Size:
CH-MF-G02 (40x45cm)



FOAM LANCE

A thick and frothy foam dispenser designed to plug and play with most pressure washers. Adjustable nozzle and air-and-water mixture render users full control on thickness and spray pattern of foam.

OSREN foam lance is made of brass for maximum durability and increased resistance against harsh usage. Suitable for home and commercial vehicles to promote longer-lasting lubrication on paint to help minimise washing marrings during washes.

Part No.

CH-FLKIT

OSREN



Spray Bottle

Code No.
10932

FOAM LANCE ADAPTERS

Adaptors for foam lance that directly attaches to various trigger guns. A simple plug and play attachment that securely connects OSREN's foam lance to various brands and models of pressure washers. Designed with o-ring gasket to ensure perfect seal.



Model:	Part No.:
KARCHER HD	CH-FLAKAR-HD
KARCHER K-SERIES	CH-FLAKAR-K
HITACHI	CH-FLA-HITACHI
BLACK & DECKER	CH-FLA-B&D
BOSCH AQT	CH-FLA-AQT
BOSCH M22	CH-FLA-M22B
GERNI	CH-FLA-GER
LAVOR	CH-FLA-LAVOR
QUICK CONNECT	CH-FLA-QRC
PA STYLE	CH-FLA-PASC

**IK FOAM 1.5
SPRAYER**

Part No.:
A-IKF-15

**GREY SHAMPOO
SPONGE**

Part No.:
A-GS-25DX20 (1pkt x 20)

TIRE SPONGE

Part No.:
A-GTS-41DX20

WAX APPLICATOR

Part No.:
CH-WA-4"x12 (1pkt x 12)

**4" APPLICATOR
SPONGE**

Part No.:
A-AS-9001X12 (1pkt x 12)

**COATING
APPLICATOR KIT**

Part No.:
A-CAKIT

**CHEMILLE
WASH MITT**

Part No.:
A-CWM-7GX3

DA SCRUB BRUSH

Part No.:
**US-UB-PC810 (Leather Brush)
US-CB-PC830 (Carpet Brush)**

**GLASS
POLISHING KIT**

Part No.:
C-GP(4)-KIT

MISCELLANEOUS

WASH BOARD



Part No.:
G-GGWB-BLK

GRIT GUARD



Part No.:
G-GGINSB (Individual)
G-SYSTEM (System)

GRIT GUARD BUCKET DOLLY



Part No.:
G-BD5C

SYSTEM 2000 PAD WASHER (ROTARY)



Part No.:
L90-2000P

SYSTEM 3000 PAD WASHER (DA)



Part No.:
L90-3000

DUOSPUR CLEANING TOOL



Part No.:
L89-104

400ML DISPENSER BOTTLE



Part No.:
A-DP-35012X10

1L TRIGGER SPRAY BOTTLE (CHEMICAL RESISTANT)



Part No.:
A-TSB-10032GX5

9.25 TRIGGER FOAM BLASTER



Part No.:
UK-SH640F9

SOFTBACK SANDING SPONGE



Part No.:
A-SSS-2600

MASKING TAPE



Part No. & Size:
A-MT-6X50 (6mm)
A-MT-151240X20 (15mm)
A-MT-661X9 (43mm)

DETAILING BLOCK



Part No.:
A-DB245

DETAILING STOOL



Part No.:
A-DB-001

MULTI-FUNCTION DETAILING BRUSH (SET OF 5)



Part No.:
ZZ-XZ-F603

WHEEL BRUSH



Part No.:
US-WB (Soft)
US-PB(AB) (Hard)

OSREN SPRAY GUN 0.8



Part No.:
M-SG-H2000A

EXTENSION SHAFT CONNECTOR DUO (M14 AND M6)



Part No. & Size:
CH-ESM14
(140mm / 100mm / 70mm)

ADAPTORS FOR ROTARY



Part No.:
A-A-M1614 (M16/M14)
A-BA-1458 (M14 x 5/8)
A-BA-1658 (M16 x 5/8)
A-DA-M14 (M14)

SUPER STRENGTH INDUSTRIAL HAND GEL



45

OSREN Super Strength Industrial Hand Gel is OSREN's first developed product that has been sold for two decades and counting. It is formulated to simply remove hi-temperature grease, printing ink and other stubborn stains from your hands while nourishing them with lanolin.

Unlike other cleaning gel, OSREN's Hand Gel contain tons of tiny silicas that scrubs out stains that have inhibit between your nails and groves of your palm. Silicas also scrub away dead skin around the ball of your palm. Not only that, because it's pH Neutral, OSREN Hand Gel will not scorch your hands making it safe on cut wounds also.

OSREN Hand Gel cleans, disinfects, scrubs and moisturizes your hand in one simple application - just scoop a pinch, lather and rinse!

I-SS-6049 (20Kg)



I-SS-6039 (5Kg)



I-SS-6059 (500g)



I-SS-6029 (2.5Kg)

A close-up, profile shot of a man with dark hair and a beard, wearing a white shirt with a green and white striped collar. He is focused on detailing a car wheel with a brown microfiber cloth. The background shows a workshop environment with various equipment and tools.

The fundamentals to
become a great detailer
lies in the joy for cleaning!

#detailersjoy



OSREN (MALAYSIA) SDN BHD (590911-A)

54, Jalan 5/32A, Off 6 1/2 Miles, Jalan Kepong, 52100, Kuala Lumpur, Malaysia.

Telephone: +603 6250 9258 Fax: +603 6250 6258

Email: sales@osren.com

Whatsapp: +6012 311 9258

Wechat:



@osrenmalaysia



OSREN (MALAYSIA) SDN BHD



@osren_official