

PROFESSIONAL AUTO DETAILING

PRODUCT CATALOG





CONTENTS

PROFESSIONAL SERIES


| Orange Peel Leveling System | 5 |
|-----------------------------|--------|
| Surface Correction | 6 |
| Sticky Paint Polish | 7 |
| All-In-One (Polish/Wax) | 8 |
| Surface Protection | 9-10 |
| | |
| SOLUTIONS | |
| Cleaners | |
| Dressings | .16-17 |
| Other Solutions | 18 |
| COATZ | 01.01 |
| CUAIZ | .21-22 |
| PADS & BACKING PLATES | |
| Leveling Pads | 25 |
| Wool Pads | 26 |
| Rotary Foam Pads | 27 |
| DA Pads | .28-29 |
| Other Pads | 30 |
| Backing Plates | .31-32 |
| TOOLS & ACCESSORIES | |
| Power Tools | 35-36 |
| Pneumatic Tools | |
| Clay | |
| Towels | |
| | |
| Miscellaneous | .41-43 |
| INDUSTRIAL HAND GEL | 44 |



To receive updates on happenings, follow our Facebook page @ www.facebook.com/osrenmalaysia









OSREN Professional Series consists of surface preparation & protection products which are engineered for professional detailers, factory body & paint technicians and detailing enthusiast. Whether you're looking for paint cleaners, aggressive compounds, nano fine polishes, waxes or sealants, we have it all here.

ORANGE PEEL LEVELING SYSTEM

FAST CUT COMPOUND

finer sanding marks.

CAUTION

designed to eliminate the toughest paint defects such as prange per dust nibs, overspray and P1200 m

Amplified with greater cutting power for rapid paintwork correction.

Dut Level 12/10

Gloss Level 4/10



PERFECT FIFTY FAST CUT COMPOUND

OSREN Perfect Fifty is an aggressive rubbing compound designed to level orange peel without sanding for the absolute show car shine. Also engineered to remove tough paint defects such as dust nibs, overspray and P1200 or finer sanding marks.

| Cut Level | 12/10 |
|-----------------|------------------|
| Gloss Level | 4/10 |
| Part No. & Size | 150 (1Kg) |
| | 350 (3Kg) |
| | 0450 (400g) |

N.A.O. ABRASIVES

(NANDMIZED ALUMINIUM DXIDES)

N.A.O. Abrasives uses raw aluminium oxide that is chemically and mechanically refined to be molecularly smaller and sharper than its original size. N.A.O. Abrasives abrade more than standard Aluminium Oxides yet leaving behind an absolute fine finishing.

NAO COMPOUND 46

WATERBASED COMPOUND

NAO Engineered compound designed to eliminate deep swirls, waterstains etching and scratches. Works great even on scratch resistant clears.

NAO POLISH 36

WATERBASED POLISH

NAO Engineered polish designed to refine light swirls and holograms. A nano fine polish that eliminates what's left behind by the compounding step.

NAO GLAZE 26

WATERBASED GLAZE

NAO Engineered glaze designed to remove hairline imperfections and blemishes for the absolute glossy finish just before waxing or coating.



| Cut Level | 9.5/10 |
|-----------------|--|
| Gloss Level | 8/10 |
| Part No. & Size | 146 (1L) 0346 (300ml) |
| | - |



| Cut Level | 9/10 |
|-----------------|--------------|
| Gloss Level | 9/10 |
| Part No. & Size | 136 (1L) |
| | 0336 (300ml) |



| Cut Level | 2/10 |
|-----------------|-----------------|
| Gloss Level | 10/10 |
| Part No. & Size | 126 (1L) |
| | 0326 (300ml) |



PERFECT CUT 20

HEAVY CUTTING FORCE DISC See page 28 for product information

DAP08 DUAL ACTION POLISHER

See page 36 for product information

LIGHT CUT GLAZE

OSREN's Perfect Cut is a finishing polish/glaze, engineered with fine abrasives and mild water based solvents to produce a flawless finish by eliminating light paint imperfections such as holograms, marring and light scratches. It works exceptionally well on **OEM Soft / Sticky paintworks**.

| Cut Level | 3/10 |
|-----------------|--------------|
| Gloss Level | 9/10 |
| Part No. & Size | 162 (1L) |
| | 0362 (300ml) |

08



PAINT RESTORER 51

DAP15 DUAL ACTION POLISHER

See page 35 for product information


ALL-IN-ONE POLISH

OSREN Paint Restorer 51 is a versatile all-in-one polish that's pad dependent. You can pair it with wool pad for relatively aggressive cutting or you can also pair it with a soft foam for mild paint cleaning.

A product that contains micro fine abrasives that removes light swirls and marring. It also contains cleaning solvents that cleans stubborn stains and blemishes, plus it leaves behind a layer of wax that adds to slickness, hydrophobicity and gloss. Get all these in a single step.

| Cleaning Power | 9/10 |
|-----------------|-----------------|
| Gloss Level | 8/10 |
| Part No. & Size | 151 (1L) |
| | 0351 (300ml) |

Cleaning : 8/10 Gloss : 9.5/10 Part No. & Size : 152 (1L)







RADIANT COAT 12 POLYMER BASED COATING

3" PALM SANDER

See page 37 for product information

What's the best way to lock in that swirl free finish that you've spent hours to detail? OSREN Radiant Coat is a Polymer based coating that coats the finish of your car. It not only seals it up but also creates a rich, glossy and hydrophobic layer that keeps the paint looking like new wash after wash.

| Cleaning Level | 1/10 |
|-----------------|-----------------|
| Gloss Level | 12/10 |
| Part No. & Size | 112 (1L) |
| | 0312 (300ml) |



CRYSTAL BLOCK SYNERGIZED

INNOVATION OF WAX SYNERGY

Years of research and prototyping to fuse natural waxes with synthetic resins together has lead us to develop SYNERGIZED, a whole new level of car wax, designed entirely to enhance and protect your car's paintwork. In SYNERGIZED, you'll get a sleek, high-gloss finish from the natural wax while the synthetic resins will give you more protection by prolonging its bond onto the paintwork.

Part No. & Size

800 (220g)



CRYSTAL BLOCK EMERALD CLASSIC



Part No. & Size: 500 (220g)

SYNTHETIC SEALANT



Part No. & Size: 600 (220g)





BUBBLE & WAX

The Key to maintaining that just waxed car is using a good dedicated automotive shampoo. Unlike many household detergents which clean but strip wax and dulls the finish of your car. OSREN's Bubble & Wax car shampoo is a unique blend of cleaning agents and gloss enhancers which gently washes away dirt, grime and traffic film while leaving behind a "wet-look" after-wash shine.

| Dilution | up to 1:100 |
|-----------------|--------------------|
| Part No. & Size | 400 (4L) |
| | 2000 (20L) |



NANO WASH

Basic yet ultra concentrated pH neutral car shampoo that does what it does - clean, without harming the paint, coating or waxed finish. OSREN's Nano Wash shampoo is designed to quickly and reliably encapsulate dirt and grime off your vehicle so you can clean without dulling the paint while keeping its original gloss.

| Dilution | up to 1:400 |
|-----------------|--------------------|
| Part No. & Size | 490 (4L) |



DEGREASER FX

Unlike harsh soda based degreasers which bleaches the surface, OSREN's Degreaser FX is engineered to clean the toughest grease effectively and is easily rinsed off reducing streaking and discoloration. It also comes in a mild citrus fragrance to provide better working environment for technicians and car owners.

| Dilution | up to 1:10 |
|-----------------|-------------------|
| Part No. & Size | FX-477 (4L) |
| | FX-2077 (20L) |



TAR SPOTS REMOVER

Tar spots are very adhesive and may etch or stain paint finishes if left untreated. OSREN Tar Spots Remover dissolves road tar on paintwork, plastics and metals easily. Just spray, dissolve and wipe clean. OSREN Tar Spots Remover can also be used to remove glue or adhesive residue, grease and also oil stains.

| Part No. & Size | 133 (1L) |
|-----------------|-----------------|
| | 433 (4L) |

GLASS CLEANER CLEANS OIL STAINS ON GLASS Part No. & Size: 410 (4L)
























SURFACE CONDITIONER


A well conditioned paint is one that's glossy, sleek and repels dirt, grime and airborne pollutants you get from daily driving. This makes the car easier to clean and maintain. OSREN Surface Conditioner is a unique blend of semi-concentrated conditioning substance design to recondition paintwork easily and instantly. The ideal complement to your wash!

| Dilution | 1:4 |
|-----------------|-----------------|
| Part No. & Size | 186 (1L) |











LEATHER CREAM

Made from 100% pure natural Lanolins, we have created OSREN Leather Cream which is a pure leather conditioner that gives highest possible softness and natural shine luster to your leathers. A premium product created for serious leather enthusiast.

Part No. & Size **023** (180ml)

LEATHER SOFT

AND PROTECTS LEATHER



Part No. & Size: 021 (400ml) 421 (4L)

TIRE SHINE

A well detailed ride is not complete if the tires are stained and dull. OSREN Tire Shine (LV) revitalizes the look with premium grade polymers and protectants, producing a high-gloss shine and keeps tires looking like new. A must use to complement a clean and shinny ride.



| Model: | Part No. & Size. |
|------------------|-------------------------------------|
| TIRE SHINE (LV) | 455 (4L) / 1855 (18L) |
| TIRE SHINE (HV) | 457 (4L) / 1857 (18L) |
| TIRE SHINE (HV3) | 459 (4L) / 2059 (20L) |
| TIRE SHINE (HG) | 2056 (20L) |
| TIRE SHINE (HE) | 2060 (20L) |
| TIRE SHINE (LE) | 2061 (20L) |



BACTERIA & ODOR EXTERMINATOR

In OSREN, we don't only keep your car clean but also the air that you breathe in too! Study shows that Benzalkonium Chloride and Glycols are safe and highly effective air disinfectants when vaporized in a car's interior. OSREN Bacteria & Odor Exterminator kills bacteria and nullifies odor to give you a fresher, healthier driving experience.

| Options: | Part No. & Size |
|--------------|-----------------|
| Lemon Flavor | 0366 (60ml) |
| | 010366 (1L) |
| Apple Flavor | 0366A (60ml) |
| | 010366A (1L) |










CARATA AND STREET, STR







1 ABSOLUTE PAINTWORK COATING Otherwise

Engineered with inorganic glass compositions, otherwise known as silicone dioxides (Sio2), that creates a crystallized coat over the paintwork for the absolute paint enhancement. OSREN Coatz 01 Absolute Paintwork Coating enhances painted surfaces and plastics with a deep rich gloss that lasts extremely long. It also gives a turbo-like water repelling effect due to its intense hydrophobicity, allowing cars to be cleaned and maintain that gallery finish easily.

| Hardness | Pencil Hardness 6H |
|--------------------|--------------------|
| Active Composition | 70% |
| Water Beading Ang | le >90 Degree |
| Part No. & Size | C-APC-01 (30ml) |

*Eco-friendly (VOC-free)

COATING

Coats paintwork with inorganic glass composition for absolute protection

Made in Japan

ABSOLUTE PAINTWORK UNDERCOAT (9H)



Part No. & Size: C-APU-00 (50ml)

PRE-COATING CLEANER



Part No. & Size: C-PCC-24001A (240ml)

02A METAL POLISH ABRASIVE



Part No. & Size: C-MP-02A-120 (120g)

02 ABSOLUTE METAL COATING



Part No. & Size: C-AMC-02 (50ml) PAINTWORK



Part No. & Size: C-PC-03-200 (200ml)

14A GLASS POLISH



Part No. & Size: C-SXC-04A (100ml)

04 | FLUORINE GLASS COATING



Part No. & Size: C-GC-04 (150ml)

05A COATING WATERSTAINS



Part No. & Size: C-PCWC-24005A (240ml)


05 PAINTWORK COATING REACTIVATOR



Part No. & Size: C-PCR-05-240 (240ml)







DENIM LEVELING FOAM

Denim leveling foam is made of denim which are hard, flat and less pores material to hold most of the abrasives on the surface and level away orange peel as well as other deeper paint defects.

| Material | Denim |
|-----------------|--------------------|
| Attachment | Hook & Loop |
| Cut Level | 12 |
| Part No. & Size | C13150 (150mm) |
| | *J90-140DA (140mm) |
| | *J90-83 (83mm) |

^{* =} Use with Dual Action Polisher


VELVET LEVELING FOAM

Velvet leveling foam is made of corduroy which are similar to denim but slightly softer to cater for soft/sticky OEM paint. The polishing abrasives will be held onto the pad's surface and level away orange peel as well as other deeper defects.

| Material | Velvet |
|-----------------|--------------------|
| Attachment | Hook & Loop |
| Cut Level | 10 |
| Part No. & Size | C23150 (150mm) |
| | *V80-140DA (140mm) |
| | *V80-83 (83mm) |







WOOL PAD

Each strand is tightly twisted and made from high grade wool, allowing the pad to stay at a consistent level of aggression for longer operation.

| Material | 4Ply 100% Twisted Wool |
|-----------------|------------------------|
| Attachment | Hook & Loop |
| Cut Level | 8 |
| Part No. & Size | 41-125 (190mm) |
| | 41-125A (165mm) |
| | 41-003 (75mm) |

FOAMED WOOL PAD

Cuts like wool but finishes like foam. It is made of nanofoam process which encapsulates the base of the lambswool fibers with microscopic polyfoam particles, allowing it to aggressively removes swirls yet leaving a lustrous finish with no hazing.

| Material | Purple Synthetic Wool |
|-----------------|------------------------|
| Attachment | Hook & Loop |
| Cut Level | 7 |
| Part No. & Size | 58-4265 (165mm) |
| | 58-4255-1 (140mm) |
| | 58-3235-1 (90mm) |





CUTTING FOAM

Coarse reticulated foam used for compounding and paint cleaning to remove oxidations, stubborn stains and scratches.

| Color | Maroon |
|-----------------|----------------|
| Attachment | Hook & Loop |
| Cut Level | 6 |
| Part No. & Size | C52170 (170mm) |
| | C52150 (150mm) |
| | C51090 (95mm) |
| | C52060 (60mm) |



POLISHING FOAM

Medium non-reticulated dense foam used for polishing to remove machine swirls and other moderate paint defects.

| Color | Navy |
|-----------------|----------------|
| Attachment | Hook & Loop |
| Cut Level | 5 |
| Part No. & Size | C62150 (150mm) |



FINISHING FOAM

Soft reticulated foam used of finishing to remove holograms and other light imperfections.

| Color | Black |
|-----------------|----------------|
| Attachment | Hook & Loop |
| Cut Level | 2 |
| Part No. & Size | C72170 (170mm) |
| | C72150 (150mm) |
| | C73090 (95mm) |
| | C72060 (60mm) |



These pads are engineered with foams that are more rigid, firm and dense to maintain it's structural integrity during buffing (no loss of cutting) with a Dual Action Polisher. It's thin design also allows for smoother handling and buffing feel.



HEAVY CUTTING FORCE DISC

Designed to work with compounds to remove etchings, scratches and swirls.

| Color | Light Gray |
|-----------|---|
| Attachme | Hook & Loop |
| Cut Level | 6.5 |
| Part No. | 76-78650G-152 (160mm) 76-78550G-130 (140mm) L76-78350G-76 (90mm) |

POLISHING FORCE DISC


Designed to work with polishes or AIOs to remove light swirls and blemishes.

| Color | White |
|------------|---|
| Attachment | Hook & Loop |
| Cut Level | 4 |
| Part No. | L76-68650-152 (160mm) L76-68550-130 (140mm) L76-68350-76 (90mm) |

FINISHING FORCE DISC

Designed to work with glazes to remove holograms and also applying waxes or sealants.

| Color | Black |
|------------|---|
| Attachment | Hook & Loop |
| Cut Level | 2 |
| Part No. | L76-78650-152 (160mm) L76-78550-130 (140mm) L76-78350-76 (90mm) |





LIGHT CUTTING CCS FOAM

Firm foam with durable Velcro® for light cutting with DA Polisher.

| Color | Orange |
|-----------------|-------------------|
| Attachment | Hook & Loop |
| Cut Level | 5.5 |
| Part No. & Size | L78-22550 (140mm) |



POLISHING CCS FOAM

Semi-firm foam with durable Velcro® for polishing with DA Polisher.

| Color | White |
|-----------------|-------------------|
| Attachment | Hook & Loop |
| Cut Level | 4 |
| Part No. & Size | L78-62550 (140mm) |




FINISHING CCS FOAM

Soft foam with durable Velcro® for glazing and waxing with DA Polisher.

| Color | Black |
|-----------------|-------------------|
| Attachment | Hook & Loop |
| Cut Level | 2 |
| Part No. & Size | L78-72550 (140mm) |

Part No. & Size: JS-6.5 (155mm)






















BACKING PLATE

A backing plate does not just fixes the pad onto the polisher, in fact, it greatly affects handling and cutting performance too. These backing plates are made of slightly more rigid polyurethane to give a little more boost to cutting yet maintaining a decent amount of flexibility to run through curves. Sturdily flexible!!

| Attachment | M14 |
|-----------------|---------------------|
| Part No. & Size | 8150 (150mm) |
| | 9125 (125mm) |

BACKING PLATE (M8)



Part No. & Size: M8DA2 (50mm) CH-PBP75 (75mm)

BACKING PLATE (M14)



Part No. & Size: 0775 (75mm)

FOAM INTERFACE



Part No. & Size: CH-B04 (160mm) CH-B03 (130mm) CH-B02 (75mm)





BACKING PLATE (DAP15)

Breathable 5" backing plate for OSREN DAP15 Dual Action Polisher greatly reduces heat build up at the back of the pads. This will allow pads to be used for a longer time.

| Attachment | Screw On Attachment |
|-----------------|---------------------|
| Part No. & Size | PBP-125L (125mm) |

BACKING PLATE (DAP08)



Part No. & Size: SP01150 (150mm)

BACKING PLATE (DAP08)



Part No. & Size: SP01125 (125mm)

BACKING PLATE (DA)



Part No. & Size: L43-085DA (75mm)



TOOLS & ACCESSORIES Drying towels, buffing towels, DA polishers, worklamps and other detailing stuffs that help you achieve perfection.

OSREN DAP15 DUAL ACTION POLISHER

Polishing and waxing made EASIER with a larger working orbit diameter Dual Action Polisher! OSREN's DAP15 Dual Action Polisher is a total upgrade of conventional DAs. Experience more cutting power, faster working time yet still absolutely safe even in a hands of an inexperienced detailer.

Power



HITACHI SP-18VA (M14)



Part No .: SP-18VA (220-240V) **KEN 9718EI** (M14)



Part No .: A06270 (220-240V) **MAKITA 9237C** (M14)

220-240V / 50 Hz 880W

15mm

DAP15



Part No .: 9237C (220-240V)

OSREN DAP08 DUAL ACTION POLISHER

Polishing and waxing made easy with OSREN Dual Action Polisher. Featuring a powerful 880W motor with orbit size of 8mm, swirls, holograms and wash marring are easily removed with this. Because it orbits and not rotate in a single axis, it will not create hot spots or burn edges to the paint under normal or even inexperience usage. You can also use this to apply liquid waxes or sealants in half the time you would by hand. And it's safe!



CARBON BRUSH



Part No .:

A-L15-P26 (DAP15) A-DAP-P33 (DAP08) A-HCB-999043 (Hitachi) A-MCB-303A (Makita) A-KCB-116114 (Ken)

FOG MACHINE

Used for fogging OSREN Bacteria & Odor Exterminator (See page 18 for product information) inside the cabin of your car for a cleaner, healthier driving experience.



Power Supply AC240V / 50Hz
Power Consumption 880W


Part No. FM-090

PNEUMATIC TOOLS

CYCLONE FOAM GUN Part No.: Z-011AN


















MAGIC CLAY CLOTH

The safest and simplest way to create a smooth-as-glass finish is non other than claying. Cars are frequently exposed to pollutants such as industrial fall outs, dust particles, tar spots and many more. Most of these pollutants are not visible to the eyes but when you run your palm across the paintwork, you will find all these pollutants protruding the surface and has already embedded onto the finish.

A Detailing Clay acts as a substance that "pulls out" these embedded contaminants without harming the clear coat. It is a proven tool to remove embedded contaminants without scouring or polishing the surface.

OSREN Magic Clay Cloth is actually Detailing Clay material affixed onto a microfiber towel giving users a much larger working surface as well as flexibility to contour over convex or concave surfaces easily. The microfibre towel also acts to hold water to lubricate the claying process.

| Towel Size | 40x40cm |
|------------|---------|
| Part No. | MC01 |







MICROFIBER BUFFING TOWEL 40x40

OSREN Microfiber Towel 40x40 is a universal detailing towel made of good standard microfibers that is most suitable for buffing off polish residue, wax and even coatings.



| Packing Size | 1pkt x 3pcs |
|------------------|-------------------|
| Available Colors | Blue, Green & Red |
| Part No. & Size | MF-M06 (40x40cm) |

MICROFIBER DRYING TOWEL 30x60

What's more absorbent than microfiber towels? A stretchable microfiber towel!! OSREN Microfiber Towel 30x60 are stretchable hence able to hold more water making it super water absorbent totally ideal for drying and washing the car!



Packing Size

1pkt x 3pcs

Available Colors

Brown, Gray & Purple

Part No. & Size

MF-T05 (30x60cm)

MICROFIBER WINDOW TOWEL 40x40

There's nothing more important than having clean, crystal clear and smudge free windscreens and windows. Conventional cloths are bad at picking up finger print marks, stains and smoke films, they also leave behind lints that will devastate the finish of your windows. OSREN Blue Window Cloth are made of special lint free microfibers that wipes of finger prints, oily stains/films effortlessly and leaves nothing but a clear crystal finish that will never cease to amaze you.



Packing Size 1pkt x 3pcs
Part No. & Size MF-B01 (40x40cm)

MICROFIBER DRYING TOWEL (BROWN, GRAY & PURPLE)



Part No. & Size: MF-B11 (60x180cm)

WHITE SYNTHETIC CHAMOIS



Part No. & Size: SC-W05 (50x50cm)

AQUA DRY



Part No. & Size: T-AD-03 (54x43cm)

MICROFIBER WAFFLE TOWEL



Part No. & Size: MF-C10 (40x60cm)

YELLOW BUFFING TOWEL



Part No. & Size: MF-Y04 (40x60cm)

POLISHING CLOTH



Part No. & Size: 9003 (32x45cm)

WHITE PREMIUM TOWEL



Part No. & Size: MF-W07 (40x40cm)

COATING APPLICATOR REFILL



Part No. & Size: CMFC (12x9cm)

MICROFIBER COATING CLOTH



Part No. & Size: MF-G02 (50x50cm)

MISCELLANEOUS






































43


MISCELLANEOUS

SOFTBACK SANDING SPONGE Part No.: 2600



















SUPER STRENGTH INDUSTRIAL HAND GEL







Unlike other cleaning gel, OSREN's Hand Gel contain tons of tiny silicas that scrubs out stains that have inhibit between your nails and groves of your palm. Silicas also scrub away dead skin around the ball of your palm. Not only that, because it's pH Neutral, OSREN Hand Gel will not scorch your hands making it safe on cut wounds also.

OSREN Hand Gel cleans, disinfects, scrubs and moisturizes your hand in one simple application - just scoop a pinch, lather and rinse!



NOTES





OSREN (MALAYSIA) SDN BHD (590911-A)

54, Jalan 5/32A, Off 6 1/2 Miles, Jalan Kepong, 52100, Kuala Lumpur, Malaysia.
Telephone: +603 6250 9258 Fax: +603 6250 6258
Email: mail@osren.com